# Surface Modeling – A Practical Approach Creo 3.0



www.caeuniversity.com

### Surface Modeling – A Practical Approach Creo 3.0

Copyright © 2018. All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the <u>www.caeuniversity.com</u>

CAE UNIVERSITY makes every effort to ensure the accuracy of the training material and assumes no responsibility or liability for errors or inaccuracies that may appear in this publication.

## Contents

. Basics of Surface Modeling	2
Extrude	
Exercise 1	~
Revolve	
Exercise 1	
Fill	
Exercise 1	
Sweep	1′
Exercise 1	
Exercise 2	
Exercise 3	
Exercise 4	
Blend	
Exercise 1	
Swept Blend	
Exercise 1	
Boundary Blend	
Exercise 1	
Exercise 2	
Exercise 3	
Offset	
Exercise 1	
Сору	62
Exercise 1	
Exercise 2	
Exercise 3	
Exercise 4	
Exercise 5	
Mirror	
Exercise 1	
Move	
Exercise 1	
Exercise 2	
Merge	94
Exercise 1	
Exercise 2	
Trim	
Exercise 1	
Extend	
Exercise 1	
Converting Surface to Solid	
Exercise 1	
Exercise 2	
Datum Features	
Datum Curves	
Sketched Datum Curves	
Through Points Datum Curve	

Projected Datum Curve	
Composite Datum Curve	
Intersected Datum Curve	
Wrapped Datum Curve	
From Equation Datum Curve	
Datum Points	
Exercise 1	
Exercise 2	
Exercise 3	
Exercise 4	
Exercise 5	
Exercise 6	
Exercise 7	
Datum Planes	
Exercise 1	
Exercise 2	
Exercise 3	
Exercise 4	
Datum Axis	
Exercise 1	
Exercise 2	
Exercise 3	
Exercise 4	
Exercise 5	
Datum Coordinate System	
Exercise 1	
Exercise 2	
3. Surface Quality and Analysis	
Curve Quality	
Surface Quality	
Singularity	
4. Examples	353
Exercise 1	
Exercise 2	
Exercise 3	
Exercise 4	
Exercise 5	389
	402
Exercise 5	410
Exercise 5 Exercise 6	
Exercise 5 Exercise 6 Exercise 7	
Exercise 5 Exercise 6 Exercise 7 Exercise 8	421
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 10	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 10 Exercise 11	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 10 Exercise 11 Exercise 12	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 10 Exercise 11 Exercise 12 Exercise 13	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 9 Exercise 10 Exercise 11 Exercise 12 Exercise 13 Exercise 14	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9. Exercise 10 Exercise 11 Exercise 12. Exercise 13 Exercise 14 Exercise 15	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 10 Exercise 11 Exercise 12 Exercise 13 Exercise 14 Exercise 15 Exercise 16	
Exercise 5 Exercise 6 Exercise 7 Exercise 8. Exercise 9. Exercise 10. Exercise 11. Exercise 12. Exercise 13. Exercise 14. Exercise 15. Exercise 16. Exercise 17.	
Exercise 5 Exercise 6 Exercise 7 Exercise 8 Exercise 9 Exercise 10 Exercise 11 Exercise 12 Exercise 13 Exercise 14 Exercise 15 Exercise 16 Exercise 17 Exercise 18	
Exercise 5 Exercise 6 Exercise 7. Exercise 7. Exercise 8. Exercise 9. Exercise 9. Exercise 10. Exercise 11. Exercise 12. Exercise 13. Exercise 13. Exercise 14. Exercise 15. Exercise 15. Exercise 16. Exercise 17. Exercise 18. Exercise 19.	

Exercise 23	
Exercise 24	
Exercise 25	
Exercise 26	
Exercise 27	
Exercise 28	
Exercise 29	
Exercise 30	
Exercise 31	
Exercise 32	
Exercise 33	
Exercise 34	
Exercise 35	

# Introduction

## 1. Basics of Surface Modeling

## 2. Datum Features

## 3. Surface Quality and Analysis

## 4. Examples

In this section, techniques learned in previous sections are implemented to create the geometries of real parts. It is also shown how to implement the manufacturing constraints like draft for molded and casted parts.

These exercises have been arranged in increasing order of complexity. Techniques learned in initial exercises are used afterwards. So it is recommended to go through the exercises one-by-one from beginning.


**Note**: In this section, splines are frequently used. So you must have gone through the exercises in "Sketched Datum Curves" sub-section that is located inside the "Datum Features" section.

#### **Exercise 1**

In this exercise we will create a door handle. The completed part is shown below.



You will notice that the handle is slim in the center but fat at the ends. This is evident in the top view shown in the figure below



Set the working directory to the EXAMPLES folder and open the model DOOR\_HANDLE.PRT


You can see a surface on screen created by a sweep feature as shown below.




### And the surface

We will redefine the Sweep feature and add relations to make it slim in center.

Right-click the "Sweep 1" in model tree and select  ${}^{\swarrow}$ .



Pick and sketcher will appear as shown below. (Note: You will see different colors on screen. We use custom color settings for clear presentation.)



Notice that sketch consists of an ellipse. We will add relations so that the dimensions vary during the sweep operation according to our requirement.

Pick d = Relations on the Tools tab and Relations dialog box will appear.

Now enter the following relations in the dialog box.

```
sd7 = 4 - 1.5 * sin ( trajpar * 180 )
```

```
sd4 = 3.5 - 1.75 * sin ( trajpar * 180 )
```

The "sd7" and "sd4" are symbols assigned to the ellipse dimensions in sketcher. These symbols might be different depending upon the circumstances. The following figure elaborates clearly.


Relations	- 🗆 X
File Edit Insert Parameters Utilities Show	
Look In	
Section	Y
▼ Relations	
 <sup>7</sup> ທα‰ 🔓 🖺 🗙 🛔 =? 🖂 📓 f× – () 🐴	
+ sd7 = 4 - 1.5 * sin (trajpar * 180 ) sd4 = 3.5 - 1.75 * sin (trajpar * 180 ) () () () () () () () () () (	Cancel

Using the trajectory parameter, trajpar, in a relation for a sweep feature allows to map any function, along the Origin Trajectory. The value of trajpar changes from 0 to 1 as the section is swept along the Origin Trajectory from start to end.

Pick to save changes and exit the Relations dialog box.

Pick  $\checkmark$  to complete the sketch.

Pick *is* to complete the feature and surface will appear as shown below.



Now we need to close the open ends so that quilt can be converted to a solid. For this, we will merge an extruded surface with the swept surface. The extruded surface has already been created but hidden.


So right-click the "Extrude 1" feature and pick Unhide.



rude 1	Edit Actions:	
eep ert F	ˈdl 🇳 🎜	
4	Suppress	
	Copy Ctrl+C	
	Insert Here	
	Pattern	
A	Create a Note	Þ
	Group	Þ
	Representation	Þ
0	Unhide	
×	Delete	
()	Parameters	
눱	Rename	
8	Information	•

## Arging the surfaces

Now select both quilts while holding down the Ctrl key as shown below. (Tip: You can use the Quilt filter for quick selection.)



Pick <sup>O Merge</sup> on the Model tab to invoke Merge tool.


Pick on the arrow to flip its direction as shown in figure below. This is necessary to keep the desired side of the quilt.

#### Surface Modeling - A Practical Approach




(Note: Instead of picking on arrow, you can also use *inclusion* or *inclusion* icons on the dashboard to change the side of quilt to keep.)

Now the preview will appear as shown below.




Pick or middle-click to complete the merge feature. The quilt will appear as shown below. (If it does not appear as shown below then you need to redefine the merge feature and fix it.)



Notice that the joint between both quilts appears magenta which means that both surfaces have been merged into a single quilt.



Now select the quilt as shown below.



Pick Solidify on the Model tab to invoke Solidify tool.

View	Flexible N	lodeling	Applications						
ũ.	r	4	oto Revolve	窗 Hole	💰 Draft 👻	111		Extend	🍰 Project
t v	Sketch	Extrude	😭 Sweep 💌	📦 Round 👻	Shell	0.0.0	🗗 Trim	Offset	C Thicken
dinate Sys		EXITUDE	Swept Blend	🖒 Chamfer 💌	👘 Rib 💌	Pattern *	6 Merge	() Intersect	🖰 Solidify
atum 💌		5	Shapes 💌	Engineer	ring 🔻		1	Editing 👻	

Solidify dashboard will appear as shown below.

2	1 T %		📕 🔍 रिक्रि 🐼 🖌 🗙
	References	Properties	

Pick or middle-click to complete the feature. The part will appear as shown below.



The black color of contours shows that now it is no more a quilt but a solid.


Select **File > Save** to save the work done so far.

#### **Exercise 2**

In this exercise we will create the surface model of a hand grip.

Set the working directory to the BASICS folder and open the model HAND\_GRIP.PRT


The model consists of four datum curves as shown below.



#### ➡ Creating the surface


Pick Sweep icon to invoke the Sweep tool.

Pick the straight datum curve (Sketch 1) with left mouse pick to make it Origin Trajectory. (Set the view to Default Orientation to avoid any confusion)



Now hold down the Ctrl key and pick the other three curves to add them as chains.

Chapter 4 **EXAMPLES** 



The order, in which chains are selected have no effect on the sweep geometry. Only the desired Origin Trajectory should be selected first.

Pick References tab to open the References slide-up panel and confirm that there are three chains in addition to Origin Trajectory.


Trajectories	X	N	T
Origin		$\checkmark$	
Chain 1			
Chain 2			
Chain 3			
Section plane contr			Detail
Section plane contr Normal To Trajecto		v	Detail
Normal To Trajecto	ory	¥	Detail
	ory	v	Detail
Normal To Trajecto	ory control	v v	Detail

Pick 'Sweep as surface' icon ( $\square$ ) to create a surface with this sweep feature.


		- 2		H 🛛 🕅 📝 60	√ x
References	Options	Tangency	Properties		

Pick do sketch the cross section.


Notice that system has placed cross-hair at the start point of the Origin trajectory and also a reference to each chain. You can rotate the view to have a look at it clearly. (Note: You will see different colors on screen. We use custom color settings for clear presentation.)



Pick  $\sim$  spline and sketch a three point spline that passes through the references for chains as shown below (View shown after picking ).




Now create the spline tangency dimensions as shown below.



To add spline tangency dimension at a point, click the spline, then click the geometry to which the spline tangency is to be defined and then click the endpoint where the tangency is to be defined. Then click the middle mouse button to place the dimension.

Pick  $\checkmark$  to complete the sketch.


Pick  $\checkmark$  to complete the feature and surface will display as shown below.



Notice that cross-section remains aligned to the chains all along the sweep feature.


#### Airroring the surfaces

Now we will mirror the surface, so select it as shown below.



While the surface geometry is selected, pick Mirror on the Model tab to invoke the Mirror tool. Select the **FRONT** datum as Mirror plane.






#### ➡ Merging the surfaces

Now we will merge the surfaces together.

So select the surfaces, shown in the figure below, while holding down the Ctrl key. (order of selection is not important)



Pick <sup>Merge</sup> on the Model tab to invoke Merge tool.

Pick Options tab and change the merge type to **Join**.



Join option is used when two surfaces have a common edge. Join option is faster than Intersect option.

Pick *or* middle-click to complete the merge feature.


Select File > Save to save the work done so far.

### Exercise 3

In this exercise we will fix a distorted boundary blended surface.

Set the working directory to the EXAMPLES folder and open the model BASE\_NECK.PRT

The part will appear as shown below.




You should notice that neck of this part appears distorted. This neck is defined by a boundary blended surface. So we will fix this surface. This problem occurs often while creating boundary blended surfaces, so it is important to know how to fix it.

### ➡ Modify the surface

We will redefine this surface feature and fix it.

Right-click the "Boundary Blend 1" feature in model tree and select 4.

BASE_NECK.PR	Т		
RIGHT			
TOP			
FRONT	1	Edit Actions:	
<sup>™</sup> PRT_CSYS_D		<i>600</i>	
BOUNDARY_F		Suppress	
BOUNDARY_H		100.1 (C. 100.1)	-
MAIN_PROFIL	Ð	Copy Ctrl+C	_
SIDE_PROFILI	::]	Pattern	
MAIN_TRIM	A	Create a Note	×
OPENING_TRI		Group	7
DTM1			<u> </u>
COLUMN		Representation	2
Sweep 1	X	Hide	
Extrude 1	×	Delete	
🕨 🐿 Sweep 2	n	Parameters	
Extrude 2		Rename	
Extrude 3	A	Information	
C Boundary Blend		internation	-
Insert Here			




Notice the location of start point for fist Chain as shown below.

Now pick Curves tab to view Curves slide-up panel. Here pick on the second chain as shown below.

1	Chain		Click her	6
2	Chain	•		4
		÷		4
Deta	ails		Details	


Now system will show the Start Point for second chain as shown below.




If you compare the location of Start Point for first and second chain then you can easily conclude that surface is distorted due to mismatch of Start Points. So we will change the location of Start Point of second chain so that it corresponds to the Start Point of first Chain.

Take your mouse pointer over the Start Point and hold down left mouse button. Then drag and drop it as shown in the figure below.


Chapter 4 **EXAMPLES** 




Now the surface will appear as shown below.



Apply the **Tangent** constraint for second chains as shown below.



Pick **v** to complete the feature and surface will appear as shown below.



Select File > Save to save the work done so far.

### **Exercise 4**

In this exercise we will build a shampoo bottle. The completed part is shown below.


Set the working directory to the EXAMPLES folder and open the model BOTTLE.PRT


## Building Body

First we will build the quilts that represent the body of the bottle.

We need to offset the outer quilt to create the quilt for the step visible in above figure.


So pick the quilt as shown below. You can use the **Quilt** filter if you have difficulty in selecting the quilts.






Pick Offset on the Model tab to invoke Offset tool and enter **2** as the offset value on the dashboard.

Pick *inverse the direction of feature creation so that surface is offset inwards as shown below.* 




Pick icon to complete the feature. (Leave the offset type to Standard, which is default)

Now we will merge the quilts. So select quilts, shown in the figure below, while holding down the Ctrl key. (Notice that offset quilt is not selected but the original quilt). You can use the **Quilt** filter if you have difficulty in selecting the quilts.



Pick <sup>Merge</sup> on the Model tab to invoke Merge tool and preview will appear as shown below.




Pick or middle-click after making sure that arrows direction is as shown in the above figure. Now the part should appear as shown below.




Now we will merge the new quilt (created after merge operation) with the quilt created by offset operation.

So select quilts, shown in the figure below, while holding down the Ctrl key. (You can use the **Quilt** filter if you have difficulty in selecting the quilts)

#### **Surface Modeling** - A Practical Approach




Pick <sup>Merge</sup> to invoke Merge tool and then <sup>X</sup> so that preview appears as shown below. (Notice the direction of arrows)



Pick or middle-click after making sure that arrows direction is as shown in the above figure. Now the part should appear as shown below. (If not then go back and fix it)

#### Chapter 4

#### **EXAMPLES**



#### Building Neck

Now we will create the neck details for the bottle. For this purpose we have already created a surface but it is hidden.

So right-click the "NECK" feature in the model tree and pick **Unhide**.


Now part will appear as shown below.




We will create a boundary blended surface that connects NECK with main body.

Pick  $\square$  and select the edge chain shown in figure below. (Tip: Place the mouse pointer over the edge of the surface and right-click repeatedly until IntentEdg tooltip appears. When the tooltip appears, select the chain with left mouse pick.)

#### Surface Modeling - A Practical Approach




Now hold down the Ctrl key and pick the second chain using the Intent chain technique as shown below.




If the preview of surface appears distorted, then fix it before proceeding. The procedure to fix the distorted boundary blended surface was explained in previous exercise.

Apply the **Tangent** constraints for both chains as shown below.



Pick *is* to complete the feature and surface will display as shown below.




### Building Bottom

Now we will create the bottom details for the bottle. For this purpose we have already created a surface but it is hidden.


So right-click the "BOTTOM\_CLOSE" feature in the model tree and pick **Unhide**.

We will merge the BOTTOM\_CLOSE with the main quilt.

So select quilts, shown in the figure below, while holding down the Ctrl key.




Pick <sup>Merge</sup> on the Model tab to invoke Merge tool and preview will appear as shown below.



Pick ✓ or middle-click after making sure that arrows direction is as shown in the above figure.

Pick Pick to access the Round tool.

Select the following edge chain for applying round.



#### Enter 3 as the radius value


Pick icon to complete the feature.

#### ➡ Thickening the Quilt

Before thickening the quilt, all surfaces should be merged together to form a single quilt. So first merge operation will be performed.

First we will merge the boundary blended surface of neck with the main quilts.

So select quilts, shown in the figure below, while holding down the Ctrl key.



Pick <sup>Merge</sup> on the Model tab to invoke Merge tool.

Pick Options tab and change the merge type to **Join**.

%	1/2			II 🛛 🕅 60 🖌 🔪
	References	Options	Properties	
		O Inter	sect	


Join option is used when two surfaces have a common edge. Join option is faster than Intersect option.

Pick *or* middle-click to complete the merge feature.

Now we will merge the NECK surface with the main quilts.

So select quilts, shown in the figure below, while holding down the Ctrl key.


#### Surface Modeling - A Practical Approach



Pick Options tab and change the merge type to **Join**.

Pick *or* middle-click to complete the merge feature.

The part will appear as shown below. Notice that all the edges, except at opening, appear magenta which means that all surfaces have been merged into a single quilt




Now we will thicken the quilt. So select the quilt.


Pick  $\square$  to invoke Thicken tool and enter **1** as the thickness on the dashboard.

Pick *interview* to reverse the direction of feature creation so that material is added to the inner side of the quilt as shown below.

### Chapter 4 **EXAMPLES**




Pick or middle-click to complete the feature. The part will appear as shown below.



Select File > Save to save the work done so far.

# Exercise 5

In this exercise we will complete a surface model of a door of drawer. The completed part is shown below.




Set the working directory to the EXAMPLES folder and open the model DRAWER\_DOOR.PRT

Before creating the desired surface, first we will create the datum curves which will be used to construct the surface.

# ➡ Creating the datum curves

We will create the datum curves using through points option.


Pick <u>Curve through Points</u> on the Model tab as shown below.



Pick the following vertex as first point for curve. (Set the view to **ISO3** and part will appear as shown below.)

Pick this vertex	XPNT6		Standard Orientation Default Orientation BACK BOTTOM	•
×PNT4	XPNTO	×PNT5	FRONT ISO1 ISO2 ISO3	•
Vertex:Edge:F11(EXTRUD	E_2)		Reorient	

Pick the datum points one-by-one in the following order, PNT4 > PNT0 > PNT5, as shown in figure below.



Pick the following vertex as last point for curve.


		Pick this vertex
	XPNT6	
KPNT4		
		▶

Now we will specify the tangent constraints for the ends of the curve.

So pick Ends Condition tab and change the 'End condition' for Start Point to Tangent.

Ends Condition	Options	Properties		Ends Condition	Options	Properties	
Curve side				Curve side			
Start Point	End con	dition Free	v	Start Point	End cond	dition Tangent	-
End Point				End Point	Tange	ent to	
				•	Selection	t items	Flip
					Mak	e end curve to be	perpendicular
					Perpendi	cular to	
							Flip

Now system wants to know a reference to which the new curve will be tangent, so pick the following surface to make the new datum curve tangent to it.




Now change the 'End condition' for End Point to Tangent as shown below.

		insertion and the second second	
Curve side			
Start Point	End con	dition Tangent	
End Point			(0 <sup>1</sup> 0)
	Tang	ent to	
	Selec	ct items	Flip
	Perpend	ke end curve to be p icular to	Flip

Again pick the following surface to make the new datum curve tangent to it at the end point.


e <u>*PNT6</u> *PNT6 *PNT6 *PNT5 •
Surf:F8(EXTRUDE_1)

Pick **v** to complete the feature. The datum curve will appear as shown below.




Now we will create second curve so again pick  $\sim$  Curve through Points

Pick the PNT6 as first point for curve. (Set the view to **ISO3** and part will appear as shown below.)



Pick the PNT0 as end point.


#### **Surface Modeling** - A Practical Approach



Now we will specify the tangent constraints for the ends of the curve.

So pick Ends Condition tab and change the End condition for Start Point to Tangent.

Now system wants to know a reference to which the new curve will be tangent, so pick the surface shown in the figure below to make the new datum curve tangent to it at the start point.




Now change the End condition for End Point to Normal.

Curve side Curve side Start Point Start Point End condition End condition Normal -Normal \* End Point End Point Normal to Normal to Flip DTM\_OPENING:F7(DA Select items Flip

Select the **DTM\_OPENING** datum plane as reference as shown below.


Select *I* to reverse the direction so that curve appears as shown in figure below.




Pick **v** to complete the feature.


# ➡ Creating the surface

Now we will create a surface with Boundary Blend Tool.







Now hold down the Ctrl key and pick the following curve as second chain.




Pick in the 'Second direction' collector to activate either on dashboard or in Curves panel.




Pick the edge, shown in the figure below (dynamic preview off) as first chain in second direction.




Now hold down the Ctrl key and pick the datum curve, shown in the figure below as second chain in second direction.



While holding down the Ctrl key, pick the edge, shown in the figure below as last chain in second direction.



Apply the **Tangent** constraints for the three chains as shown below.




Pick **V** to apply the changes and exit the dashboard.

Select **File > Save** to save the work done so far.

# Exercise 6

In this exercise we will create a model for plastic chair. The completed part is shown below.




Set the working directory to the EXAMPLES folder and open the model CHAIR.PRT. Because this part is symmetrical so we will create half side of the part and then mirror it. Required datum curves have already been created. You are encouraged to explore the way these curves have been defined after completing this exercise.


## ➡ Creating the surface

We will create a boundary blended surface by using the curves shown in the above figure.


Pick  $\square$  and select the curves, while holding down the Ctrl key, in the order shown in figure below.



Pick in the Second Direction Collector to activate it and while holding down the Ctrl key, select the curves shown in figure below.



Apply the **Normal** constraint for the chain that lies on RIGHT datum plane as shown below.



This surface will be mirrored about RIGHT datum plane. Therefore to maintain tangency between original and mirrored surface, the surface has been constrained Normal to the RIGHT datum plane.


To make the mirrored and parent surface tangent to each other, we need to make the parent surface normal to mirror plane.




### Creating the Datum Curve for Trimming

Now we will create a datum curve that will lie on the surface we have created and then trim the surface with this curve. First we will create four datum points to be used as reference for the datum curve.

Pick  $\times^{\times}$  Point on the Model tab to invoke Datum Point tool.




Now pick on the surface near bottom right corner. Look at the position of mouse pointer in the figure below.



Pick in the Offset references collector to activate it.

		Datum Point	×	
Placement	Propertie	S		
PNT4     Like Poi	nt	References Surf:F20(BOUNDARY On		
		Offset 0.00 v		
	v	Click here to add item	_	Pick here to activat

Now select the edge shown in figure below as offset reference and enter 45 as the Offset value.




Hold down the Ctrl key and select the side edge as second offset reference. Enter **25** as the Offset value as shown below.

				Datum Point X
	Placement	Prop	erti	es
	PNT4			References
Pick this edge	New Po	int		Surf:F20(BOUNDARY On Offset 0.00 💌 Offset references
25:00	38		-	Edge:F20(BOUNDARY 45.00 Edge:F20(BOUNDARY 25.00 OK Cancel

Pick or complete the definition of datum point.


Now we will create another datum point so again pick X Point on the Model tab.

Pick the following datum curve as reference.




Pick Next End to change the measurement reference to right end of curve

Change the Offset option to **Real** and enter **55** as the Offset value as shown below.



Pick or complete the definition of datum point.

Again pick  $\times^{\times}$  Point on the Model tab and select the following datum curve as reference.



Change the Offset option to **Real** and enter **25** as the Offset value as shown below.


			Datum Point	×
	Placement	Properti	es	
	PNT6		References	
25.00 ■ PNT 6 ■ ×PI T5	♦ New Po	int	Curve:F17(CUR Offset 25.00 Offset reference	▼ Real ▼
		Ŧ	<ul> <li>End of curve</li> <li>Reference</li> </ul>	Click here to a
×PMT4			N	OK Cancel

Pick or complete the definition of datum point.

Again pick \*\* Point on the Model tab and pick the surface near top right corner. Look at the position of mouse pointer in the figure below.


#### Chapter 4

### **EXAMPLES**



Pick in the Offset references collector to activate it.

Now select the top edge of surface as offset reference and enter **35** as the Offset value as shown below.



Hold down the Ctrl key and select the side edge as second offset reference. Enter **35** as the Offset value as shown below.


				I	Datum Point X
		Placement	Prop	ertie	:5
	<del>35.00</del>	PNT7			References
Pick this edge -	× NT6 55.00 × FT T5	New Po	vint		Surf:F20(BOUNDARY On Offset 0.00 Offset references Edge:F20(BOUNDARY 35.00 Edge:F20(BOUNDARY 35.00
	×PCT4	1			OK Cancel

Pick or complete the definition of datum point.

Now we will create a datum curve using through points option, passing through the four points that we just created.

Pick  $\sim$  Curve through Points on the Model tab to invoke Curve through Points tool.


Pick the following vertex as first point for curve.




Pick the datum points one-by-one in the following order, PNT4 > PNT5 > PNT6 > PNT7

### Chapter 4

#### **EXAMPLES**



Pick the following vertex as last point for curve.



Pick Placement to access the Placement panel and check the 'Place curve on surface' option.

As the Surface collector becomes active so pick the surface as shown below.

Placement	Ends Condi	tion Options	Properties	
Point 1 Point 2 Point 3		Point Vertex:Edge:F20		PIN 17
Point 3 Point 4 Point 5 Point 6	8	Connect to previo Spline Straight line	ous point by	
Add Poi	nt 🔶	8 A . I		T5
Place of Surface	curve on surfa	2545 		15 NT4

'Place curve on surface' option is used to create a spline curve that passes through the selected points and lies on a specific surface patch.

Now we will specify the normal constraints for the ends of the curve.

So pick Ends Condition tab and change the End condition for 'Start Point' to Normal.

Now system wants to know a reference to which the new curve will be normal, so select the **RIGHT** datum plane as reference

Placement	Ends Condition	Options	Pro	perties	
	Curve side				
	Start Point	End con	dition	Normal	
	End Point	Norm	al to		
		RIGHT:F	1(DAT	TUM PLA	Flip
		-			


Now change the End condition for 'End Point' to Normal and select the **RIGHT** datum plane as reference.

### Chapter 4

#### **EXAMPLES**


Placement	Ends Condition	Options	Properties	
	Curve side			
	Start Point	End cond	dition Normal	
	End Point	100000000000000000000000000000000000000		
		Norma	alto	
			1	
		RIGHT	1(DATUM PLA	Flip
		0.6		
	<u></u>			

If you look at the end of curve, you will notice that it is twisted as shown below.



It is due to the wrong direction of normal constraint. So pick **Flip** to reverse the direction.

Pick **v** to complete the feature. The datum curve will appear as shown below.




## ➡ Trimming the Quilt

Now we will trim the quilt with this curve. So first select the quilt.

Pick Trim on the Model tab to invoke Trim tool.


Select the newly created datum curve as trimming object and preview will appear as shown below.



Pick *or* middle-click to complete the feature.


## Airroring the Quilt

Now we will mirror the quilt so first select the trimmed quilt.



Pick Mirror on the Model tab to invoke Mirror tool and select the **RIGHT** datum as Mirror plane.

Pick to complete the feature. Part will appear as shown below.



Now you can merge both surfaces together.

Select File > Save to save the work done so far.

Further material is not included in the free download. You can buy the complete tutorials at http://www.caeuniversity.com/buy. Thanks for your review of the training material.